



AUTOMATIC PANCAKE MACHINE

THE ULTIMATE BREAKFAST EXPERIENCE



Contents

- About
- Our Customers
- Why Popcake®?
- Applications
- Features and Benefits
- Operation
- Popcake Mix Information
- Pricing Breakdown
- Machine Specifications
- Getting Started
- Contact Popcake®



About Popcake®

Popcake® is the world's first fully-automatic pancake making machine designed for the commercial food service industry.



10,000

INSTALLATIONS
WORLDWIDE

150,000

PANCAKES
SERVED
PER DAY

1 minute

PER SERVING

25+

COUNTRIES

Serving pancakes in Hong Kong & Macau



Why Popcake®?



GUESTS

- Great taste
- Easy to use
- Fast service
- Fun to watch

OPERATOR

- Low maintenance/low labor
- No mess/no cleanup
- Safe/Cool to touch
- Zero waste

Applications



BREAKFAST and ALL DAY DINING

- Hotels
- Airline Lounges
- Guest Buffet
- Employee Dining Rooms
- Room Service
- Café / Guest Buffet

FEATURES AND BENEFITS

- Standard 220V/50Hz/2200W single phase
- One touch “self serve” operation
- Small countertop footprint
- Cool to touch
- Watch your pancakes cook
- Manufacturer’s warranty



ISO 14001
ISO 9002



Operation

1
MIX/PREP



Add water.



Shake.




Load.

2
COOK



Press OK.



Mix dispenses automatically.



Pancakes in under a minute.

3
CLEAN UP



Wipe or dishwash.



Clean belts.



Clean fan filters.

Popcake Mix Information

NUTRITION INFORMATION	Quantity per 100 g of pancake as consumed	Quantity per 35 gram serving	INGREDIENTS
Energy kj	1500 kj	525 kj	wheat flour, sugar, milk solid non-fat, wheat starch, milk solid, raising agents (341, 500, 450), dextrose monohydrate, egg powder, salt, emulsifiers (475, 471), thickener (415). CONTAINS: WHEAT, GLUTEN, MILK, EGG MAY CONTAIN: SOY
Protein	10.9 g	3.8 g	
Fat - total	3.2 g	1.1 g	
- Saturated	1.6 g	0.56 g	
- Trans	<0.1g	<0.035 g	
Carbohydrate	69.3 g	24.2 g	
- sugars	26.1 g	9.1 g	
Dietary Fibre	2.0 g	0.7 g	
Sodium	888 mg	311 mg	



Performance & Pricing Breakdown (approx)

- 60 Seconds for the first pancake
- 9 seconds for each additional mini (1.5") pancake
- 15 seconds for each additional medium (3.5") pancake
- 19 seconds for each additional mini (5.5") pancake



Approx. Pancakes Per Hour	
Mini (1.5")	300
Medium (3.5")	150
Large (5.5")	80

Approx. Pancakes Per 720gm Bag	
Mini (1.5")	160
Medium (3.5")	50
Large (5.5")	18

Specification

Model: PC-10RW-UK

Global Patented Technology

Food Grade Stainless Steel Construction

One-touch Operation

Cool Touch Housing

Standard 220-220V, 50Hz, 2200W / Single Phase power

CE, GS, NSF & UL approved

Dimensions:

530mm/21" (w)

360mm/14" (h)

360mm/14" (d)

Weight:

23kgs/55lbs




Technical Data Sheet for
POPCAKE PC-10RW-UK

Benefits / Features

- See through "glass window" door with internal illumination kit
- Low maintenance with little or no cleaning.
- Limited maintenance other than periodic Teflon coated belt changes.
- Cool touch operation for self-serve applications.
- Space efficient / counter top unit.
- Fat free baking process.
- Hygienic, fully enclosed cooking cabinet.
- User friendly menu-driven software that operates all functions.
- Durable mix bags with one way HACCP compliant valve ensures freshness.
- Exact measure of ingredients to eliminate waste and shrinkage
- Low power usage, less than or equivalent power usage to a conventional household toaster
- No need for a kitchen exhaust system / range hood.
- Consistency and freshness of our pancakes.

Warranty

- 1 Year manufacturers warranty.



Model :PC-10RW-UK

Technical Specifications

Standard Power Consumption

- 220-220V / 50Hz / 2200W

Certifications

- CE

Unit Weight

- Gross – 26 Kgs
- Net – 23 Kgs

Machine Dimensions

- 530mm (w) x 360mm (h) x 360mm (d)

Plug Configuration

3 PIN PLUG BK168 W/13A FUSE BS1363
REWIRABLE BLACK W/SAFETY MARK LABEL
A03441 WHITE ZN-PTD (PLATING:CR+3)



Accessories

- Popcake Keyboard Cover Plate
- Popcake Popaway Clamp



Getting Started

POPCAKE® MACHINE

Please Enquire

POPCAKE® MIX

Please Enquire

(MOQ 4 Boxes Per Order)



Contact Bonnex Limited

Clara Chow

cchow@bonnexasia.com

www.bonnexasia.com

(O) +852 3620 3180

(M) +852 6468 5848

(F) +852 3572 0824

Office 01, 21/F, Bupa Centre,
141 Connaught Road West,
Hong Kong

BONNEX
FOODSERVICE - SOLUTIONS

